



# 深圳市弗瑞鑫电子有限公司

## 规格承认书

—  
\_\_\_\_\_  
\_\_\_\_\_


prepare	
check	
approve	



TRX电容一级代理商


深圳市弗瑞鑫电子有限公司


Add:深圳市宝安区西乡大道302号金源商务大厦B座3楼

Tel:0755-29563634

Fax:0755-27447020




	2 2 . .		
	/		/
	/		/

	2 2 . .		
	/		/
	/		/

1. /

$\overline{\text{①}}$   $\overline{\text{②}}$   $\overline{\text{③}}$   $\overline{\text{④}}$   $\overline{\text{⑤}}$   $\overline{\text{⑥}}$

①


	2 2 . .		
	/		/
	/		/


3. /



4. /


5. /




①		
②		
③		
④		
⑤		

2  
2 ..

/

/

/

	2 2 . .		
	/		/
	/		/

/

°  
°C

°


°

°

/

7. /



	2 2 . .		
	/		/
	/		/





 <b>TRX</b> 专注电容器廿年	2		
	2 . .		
	/		/
	/		/




Diagram illustrating the test setup:

- Approximately 8mm
- burner
- 45°
- flame
- 200 ± 5mm
- Test specimen
- Tissue paper


8. /



 <b>TRX</b> 专注电容器廿年		<b>2</b>		
	/		/	
/			/	

9. /








10. /  
(1)

(2)


/  
/  
(3)

(4)

11. /  
/





ITEM	W	A0	B0	K1	K0	P	F	E	D0	D1	P0	P2	T
DIM	12.0 $\pm 0.30$	4.2 $\pm 0.10$	5.70 $\pm 0.10$	--	2.70 $\pm 0.10$	8.00 $\pm 0.10$	5.50 $\pm 0.10$	1.75 $\pm 0.10$	$\phi 1.5$ $\pm 0.05$	$\phi 1.5$ $\pm 0.10$	4.0 $\pm 0.10$	2.0 $\pm 0.10$	0.30 $\pm 0.05$
ALTERNATE													




/

Item	Data	Remark
Cover tape adhesion	10 ~ 100g	Carrier tape and cover tape open angle 165 ~ 180° F=300±5mm/minute




 <b>TRX</b> 专注电容器廿年	2 2 . .			
	/		/	
	/		/	


/ -





标签



料号





/ -





图示 /




图示 /




图示 /

--	--	--	--

/ :



/




/





--	--



	2 2 . .		
	/		/
	/		/

12. /

①

②